

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.

L Number	Hits	Search Text	DB	Time stamp
-	318	gui same (ananly\$5 or debug\$3 or profil\$5 or trac\$3) same execut\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 16:47
-	42	((gui same (ananly\$5 or debug\$3 or profil\$5 or trac\$3) same execut\$4) and (@ad<20010131 or @rlad<20010131 or @prad<20010131)) and (open\$3 same file\$1) and (displa\$3 near4 window\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 11:21
-	1	((gui same (ananly\$5 or debug\$3 or profil\$5 or trac\$3) same execut\$4) and (@ad<20010131 or @rlad<20010131 or @prad<20010131)) and (open\$3 same file\$1) and (displa\$3 near4 window\$1)) and 717/124.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 17:05
-	10	((gui same (ananly\$5 or debug\$3 or profil\$5 or trac\$3) same execut\$4) and (@ad<20010131 or @rlad<20010131 or @prad<20010131)) and (open\$3 same file\$1) and (displa\$3 near4 window\$1)) and (MDI or (several or (first and second) or multiple) near2 window\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 17:06
-	7	((gui same (ananly\$5 or debug\$3 or profil\$5 or trac\$3) same execut\$4) and (@ad<20010131 or @rlad<20010131 or @prad<20010131)) and 717/124.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 17:42
-	225	(gui same (ananly\$5 or debug\$3 or profil\$5 or trac\$3) same execut\$4) and (@ad<20010131 or @rlad<20010131 or @prad<20010131)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/14 17:47
-	64	((gui same (analy\$5 or profil\$5 or trac\$3) same execut\$4) and (@ad<20010131 or @rlad<20010131 or @prad<20010131)) and (open\$3 same file\$1) and (displa\$3 near4 window\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 12:25
-	2762	((gui or visual or integrated) same (analy\$5 or profil\$5 or trac\$3 or log) same execut\$4) and (@ad<20010131 or @rlad<20010131 or @prad<20010131))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 15:02
-	2762	((gui or visual or integrated or (gui near1 analysis)) same (analy\$5 or profil\$5 or trac\$3 or log) same execut\$4) and (@ad<20010131 or @rlad<20010131 or @prad<20010131))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 14:19
-	222	((gui or visual or integrated or (gui near1 analysis)) same (analy\$5 or profil\$5 or trac\$3 or log) same execut\$4) and (@ad<20010131 or @rlad<20010131 or @prad<20010131)) and (MDI or ((several or (first and second) or multiple) near2 window\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 14:20
-	65	((gui or visual or integrated or (gui near1 analysis)) same (analy\$5 or profil\$5 or trac\$3 or log) same execut\$4) and (@ad<20010131 or @rlad<20010131 or @prad<20010131)) and (MDI or ((several or (first and second) or multiple) near2 window\$1)) and iteration\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 15:02
-	65	((gui or visual or integrated or (gui near1 analysis)) same (analy\$5 or profil\$5 or trac\$3 or log) same execut\$4) and (@ad<20010131 or @rlad<20010131 or @prad<20010131)) and (MDI or ((several or (first and second) or multiple) near2 window\$1)) and iteration\$1) and command	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 15:02

-	0	20030126509.URPN.	USPAT	2004/01/15 14:33
-	400	((gui) same (analy\$5 or profil\$5 or trac\$3 or log) same execut\$4) and (@ad<20010131 or @rlad<20010131 or @prad<20010131))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 15:10
-	63	((gui) same (analy\$5 or profil\$5 or trac\$3 or log) same execut\$4) and (@ad<20010131 or @rlad<20010131 or @prad<20010131))) and iteration\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 15:02
-	48	((gui) same (analy\$5 or profil\$5 or trac\$3 or log) same execut\$4) and (@ad<20010131 or @rlad<20010131 or @prad<20010131))) and 717/.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 16:09
-	110	((gui) same (analy\$5 or profil\$5 or trac\$3 or log) same execut\$4) and (@ad<20010131 or @rlad<20010131 or @prad<20010131))) and (control same sequence)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:54
-	45	((gui) same (analy\$5 or profil\$5 or trac\$3 or log) same execut\$4) and (@ad<20010131 or @rlad<20010131 or @prad<20010131))) and (control same sequence) same gui	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/15 16:18
-	1	"09337446"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/16 11:45
-	2	"6587969"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/16 11:45
-	39	((gui) same (analy\$5 or profil\$5 or trac\$3 or log) same execut\$4) and (@ad<20010131 or @rlad<20010131 or @prad<20010131)) and ((MDI or several or (first and second) or multiple) near2 window\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:55
-	40	((gui) same (analy\$5 or profil\$5 or trac\$3 or log) same execut\$4) and (@ad<20010131 or @rlad<20010131 or @prad<20010131)) and (MDI or ((several or (first and second) or multiple) near2 window\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:58
-	23	((gui) same (analy\$5 or profil\$5 or trac\$3 or log) same execut\$4) and (@ad<20010131 or @rlad<20010131 or @prad<20010131)) and (MDI or ((several or (first and second) or multiple) near2 window\$1))) and log	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 14:58
-	46	((gui) same (log and script)) and (@ad<20010131 or @rlad<20010131 or @prad<20010131))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 15:11
-	32	((gui) same (log and script)) and (@ad<20010131 or @rlad<20010131 or @prad<20010131))) and (step\$1 and device and command)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 15:11
-	6	((gui) same (log and script)) and (@ad<20010131 or @rlad<20010131 or @prad<20010131))) and (step\$1 same device same command)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/01/20 15:11

-	2	"6587969"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 15:35
-	4629	(script\$1 or log\$4) near4 (stor\$4 or tape\$1 or disk\$1) near5 (drive\$1 or interface\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 15:37
-	201	(script\$1 or log\$4) near4 (mov\$3 or transfer\$4 or load\$4 or unload\$4) near3 (stor\$4 or tape\$1 or disk\$1) near5 (drive\$1 or interface\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 15:44
-	4	((script\$1 or log\$4) near4 (mov\$3 or transfer\$4 or load\$4 or unload\$4) near3 (stor\$4 or tape\$1 or disk\$1) near5 (drive\$1 or interface\$1)) same (gui or "user friendly" or (user with interact\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 15:44
-	4	(gui or "user friendly" or (user with interact\$4))same(script\$1 or log\$4) near4 (mov\$3 or transfer\$4 or load\$4 or unload\$4) near3 (stor\$4 or tape\$1 or disk\$1) near5 (drive\$1 or interface\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 15:45
-	0	(gui or "user friendly" or (user with interact\$4))same(script\$1) near4 (mov\$3 or transfer\$4 or load\$4 or unload\$4) near3 (stor\$4 or tape\$1 or disk\$1) near5 (drive\$1 or interface\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 15:46
-	0	(gui or "user friendly" or (user with interact\$4))same(script\$1) same (mov\$3 or transfer\$4 or load\$4 or unload\$4) near3 (stor\$4 or tape\$1 or disk\$1) near5 (drive\$1 or interface\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/12 16:45
-	54	(gui or "user friendly" or (user with interact\$4))same(script\$1) and (mov\$3 or transfer\$4 or load\$4 or unload\$4) near3 (stor\$4 or tape\$1 or disk\$1) near5 (drive\$1 or interface\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/13 17:08
-	2267	(gui or "user friendly" or (user with interact\$4))same(script\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/13 17:11
-	1104	(analy\$5 or profil\$5 or trac\$3) same execut\$4 and (@ad<20010131 or @rlad<20010131 or @prad<20010131) and (open\$3 same file\$1) and (displa\$3 near4 window\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/13 17:09
-	89	((gui or "user friendly" or (user with interact\$4))same(script\$1)) and(analy\$5 or profil\$5 or trac\$3) same execut\$4 and (@ad<20010131 or @rlad<20010131 or @prad<20010131) and (open\$3 same file\$1) and (displa\$3 near4 window\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/13 17:11
-	25	(((gui or "user friendly" or (user with interact\$4))same(script\$1)) and(analy\$5 or profil\$5 or trac\$3) same execut\$4 and (@ad<20010131 or @rlad<20010131 or @prad<20010131) and (open\$3 same file\$1) and (displa\$3 near4 window\$1)) and (gui or "user friendly" or (user with interact\$4))near5 (script\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 16:03
-	2	"6587969"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 10:37

-	19631	(back\$lup or stor\$3 or drive\$1) same (script\$1 or log\$1 or result\$1 or javascript or vbscript or sequence\$1) same (gui or interact\$3 or "user friendly")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 10:39
-	4550	(back\$lup or stor\$3 or drive\$1) near5 (script\$1 or log\$1 or result\$1 or javascript or vbscript or sequence\$1) same (gui or interact\$3 or "user friendly")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 10:40
-	798	(back\$lup or stor\$3 or drive\$1) near5 (script\$1 or log\$1 or result\$1 or javascript or vbscript or sequence\$1) near5 (gui or interact\$3 or "user friendly")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 10:40
-	612	((back\$lup or stor\$3 or drive\$1) near5 (script\$1 or log\$1 or result\$1 or javascript or vbscript or sequence\$1) near5 (gui or interact\$3 or "user friendly")) and (@ad<20010131 or @rlad<20010131 or @prad<20010131)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 11:11
-	103	((back\$lup or stor\$3 or drive\$1) near5 (script\$1 or log\$1 or result\$1 or javascript or vbscript or sequence\$1) near5 (gui or interact\$3 or "user friendly")) and (@ad<20010131 or @rlad<20010131 or @prad<20010131)) and (analy\$5 or profil\$5 or trac\$3) same execut\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 11:10
-	0	back\$lup same gui near4 script\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 11:10
-	21	(back\$lup or storage) same gui near4 script\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 11:11
-	19	((back\$lup or storage) same gui near4 script\$1) and (@ad<20010131 or @rlad<20010131 or @prad<20010131)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 11:11
-	7112162	(gui or "user friendly" or (user with interact\$4) or screen or visual\$3) same (script\$1 or test\$3 or program\$1 or code or sequence\$1 or vbscript or javascript or jsp) and (mov\$3 or load\$3 or unload\$3 or stor\$3 or transfer\$5 or transport\$4 or relocat\$4 or transmit\$5) or (analy\$5 or control\$4 or profil\$5 or trac\$3 or execut\$4 or log) and (@ad<20010131 or @rlad<20010131 or @prad<20010131)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 16:13
-	17732	(gui or "user friendly" or (user with interact\$4) or screen or visual\$3) near5 (script\$1 or test\$3 or program\$1 or code or sequence\$1 or vbscript or javascript or jsp) same (mov\$3 or load\$3 or unload\$3 or stor\$3 or transfer\$5 or transport\$4 or relocat\$4 or transmit\$5) and (analy\$5 or control\$4 or profil\$5 or trac\$3 or execut\$4 or log) and (@ad<20010131 or @rlad<20010131 or @prad<20010131)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 16:42

-	9762	(gui or "user friendly" or (user with interact\$4) or screen or visual\$3) near5 (script\$1 or test\$3 or program\$1 or code or sequence\$1 or vbscript or javascript or jsp) same (mov\$3 or load\$3 or unload\$3 or stor\$3 or transfer\$5 or transport\$4 or relocat\$4 or transmit\$5) same (analy\$5 or control\$4 or profil\$5 or trac\$3 or execut\$4 or log) and (@ad<20010131 or @rlad<20010131 or @prad<20010131)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 12:13
-	0	((gui or "user friendly" or (user with interact\$4) or screen or visual\$3) near5 (script\$1 or test\$3 or program\$1 or code or sequence\$1 or vbscript or javascript or jsp) same (mov\$3 or load\$3 or unload\$3 or stor\$3 or transfer\$5 or transport\$4 or relocat\$4 or transmit\$5) same (analy\$5 or control\$4 or profil\$5 or trac\$3 or execut\$4 or log) and (@ad<20010131 or @rlad<20010131 or @prad<20010131)) and 6,651,241	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 16:47
-	0	((gui or "user friendly" or (user with interact\$4) or screen or visual\$3) near5 (script\$1 or test\$3 or program\$1 or code or sequence\$1 or vbscript or javascript or jsp) same (mov\$3 or load\$3 or unload\$3 or stor\$3 or transfer\$5 or transport\$4 or relocat\$4 or transmit\$5) and (analy\$5 or control\$4 or profil\$5 or trac\$3 or execut\$4 or log) and (@ad<20010131 or @rlad<20010131 or @prad<20010131)) and 6,651,241	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 16:47
-	1	((gui or "user friendly" or (user with interact\$4) or screen or visual\$3) near5 (script\$1 or test\$3 or program\$1 or code or sequence\$1 or vbscript or javascript or jsp) same (mov\$3 or load\$3 or unload\$3 or stor\$3 or transfer\$5 or transport\$4 or relocat\$4 or transmit\$5) and (analy\$5 or control\$4 or profil\$5 or trac\$3 or execut\$4 or log) and (@ad<20010131 or @rlad<20010131 or @prad<20010131)) and 6,701,514	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 17:04
-	2	"6587969"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/14 17:04
-	27	5,781,720	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 12:16
-	2	6,658,646	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 12:16
-	830	((gui same (analy\$5 or profil\$5 or trac\$3 or log or result\$1) same execut\$4) and (@ad<20010131 or @rlad<20010131 or @prad<20010131))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 12:26
-	363	((gui same (analy\$5 or profil\$5 or trac\$3 or log or result\$1) same execut\$4) and (@ad<20010131 or @rlad<20010131 or @prad<20010131))) and (summa\$5 or brief\$3 or outlin\$3 or review\$3 or extract\$4 or abstract\$4) same (execut\$5 or log or script\$1 or run\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 12:29

-	114	((gui same (analy\$5 or profil\$5 or trac\$3 or log or result\$1) same execut\$4) and (@ad<20010131 or @rlad<20010131 or @prad<20010131))) and (summa\$5 or brief\$3 or outlin\$3 or review\$3 or extract\$4 or abstract\$4) near5 (execut\$5 or log or script\$1 or run\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 12:55
-	8567	(back\$lup or stor\$3) same script\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 12:56
-	1954	(back\$lup or stor\$3) same (transfer\$4 or mov\$4 or load\$4 or unload\$4) same script\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 12:57
-	605	(back\$lup or stor\$3) near7 (transfer\$4 or mov\$4 or load\$4 or unload\$4) same script\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 12:59
-	219	(back\$lup or stor\$3) near7 (transfer\$4 or mov\$4 or load\$4 or unload\$4) near7 script\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 13:00
-	1	(back\$lup near5 stor\$3) near7 (transfer\$4 or mov\$4 or load\$4 or unload\$4) near7 script\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/07/15 13:00